PHYSICS AND CHEMISTRY OF MINERALS

Volume 8 1982

In Cooperation with the International Mineralogical Association (IMA)

Edited by S. S. Hafner, A. S. Marfunin, C.T. Prewitt

Advisory Board

T.J. Ahrens Pasadena
A. Authier Paris
A. Baronnet Marseille
P.M. Bell Washington
G.B. Bokij Moscow
V. Gabis Orléans la Source
G.V. Gibbs Blacksburg
T. Hahn Aachen
I. Jackson Canberra
J.C. Jamieson Chicago
K. Langer Berlin
G. Lehmann Münster
R.C. Liebermann Stony Brook
J.D.C. McConnell Cambridge, U.K.
A.C. McLaren Clayton
N. Morimoto Kyoto
A. Navrotsky Tempe
R.E. Newnham University Park
A. Preisinger Vienna
R.D. Shannon Wilmington
I. Sunagawa Sendai
Y. Syono Sendai
J. Tossell College Park
V.M. Vinokurov Kazan
B.J. Wuensch Cambridge, Mass.

Springer International

Physics and Chemistry of Minerals

Founded 1977 in cooperation with the *International Mineralogical Association* (IMA)
Volumes 1–8 (1977–1982) by S. S. Hafner, A. S. Marfunin, and C. T. Prewitt.

Author Index

Amossé, J. 83
Aragón, R. 112
Aragonés, J. 206
Arndt, J. 230

Bagmut, N.N. 149
Bakker, M. 188
Bal, K.D. 158
Ballet, O. 218
Baronnet, A. 268
Beck, C.W. 146
Blak, A.R. 161
Bulienkov, N.A. 105
Burdett, J.K. 69

Carson, D.G. 14
Clark, P.E. 180, 257
Coey, J.M.D. 218
Cross, L.E. 20

Devine, S.D. 200

Erbudak, M. 197

Falzone, A.J. 212
Ferrer, N. 206
Fert, A. 206
Fleet, M.E. 241
Font-Altaba, M. 206
Fysh, S.A. 180, 257

Geilikman, M.B. 2
Gonzalez-Cabeza, I. 230
Guillen, R. 83

Hålenius, U. 136, 143
Heller-Kallai, L. 98
Hirai, H. 25
Hiraishi, J. 64
Hummel, W. 230
Hyde, B.G. 55, 167, 188

Ichikuni, M. 247
Ishii, M. 64
Ishikawa, M. 247
Isotani, S. 161

Kalt, P. 197
Krishna, P. 268
Kübler, L. 8

Lal, N. 158
Langer, K. 136, 143
Lasaga, A.C. 36
Laughner, J.W. 20
Lefebvre, A. 251
Lehmann, G. 77
Levillain, C. 99
Litovchenko, A.S. 149

Machavariani, G.V. 193
Makeev, V.A. 193
Martovitsky, V.P. 105
Mashkovtsev, R.I. 153
Matyash, I.V. 149
Maurel, P. 99
Mazo, R.M. 47
McCallister, R.H. 112
McGavin, D.G. 200
McLaren, A.C. 128
Menil, F. 99
Morlotti, R. 87
Müller, W.F. 175

Nagpaul, K.K. 158
Nakajima, Y. 29
Nakazawa, H. 25
Nefedov, V.I. 193
Newnham, R.E. 20
Nissen, H.-U. 197

Orlov, Yu.L. 105
Ottonello, G. 87

Palmer, R.A. 200
Pandey, D. 268
Pitkethly, D.R. 128
Price, G.D. 69
Price, S.L. 69
Prodan, A. 188
Proshko, V.Ya. 149

Reeder, R.J. 29
Regnard, J.R. 83
Rossman, G.R. 14

Salyn, Ya.V. 193
Sawaoka, A. 247
Scherbakova, M.Ya. 153
Schmidt, M.C. 206
Senderov, E.E. 51
Serebrennikov, A.I. 153
Smith, G. 136, 143
Speit, B. 77
Stacey, F.D. 212
Sunagawa, I. 121

Tejada, J. 206
Tennant, W.C. 200
Töpel-Schadt, J. 175

Valter, A.A. 153
Vasiliev, N.S. 51
Vaughan, R.W. 14
Versteegh, M. 188

Watanabe, S. 161
White, T.J. 55, 167

Yamanaka, T. 64
Yasuda, T. 121
Yudin, E.I. 51

Zelenov, V.I. 193
Zhavoronkov, N.M. 193

Subject Index

All mineral names occurring in titles, subtitles, and abstracts are indexed. Mineral names **not** listed in the index of M. Fleischer, Glossary of Mineral Species, 1980, are marked with an asterisk (*). Chemical formulas are according to M. Fleischer (in some cases simplified) or as given by authors. Also indexed are revised subject key words submitted by the authors. The numbers refer to the title page.

A

albite $NaAlSi_3O_8$ 47
***amber** 146
amethyst SiO_2 128
amphibole group
tremolite $Ca_2(Mg,Fe)_5Si_8O_{22}(OH)_2$ 200
andalusite Al_2SiO_5 136

B

beryl $Be_3Al_2Si_6O_{18}$ 161
***burmite** 146

C

calcite $CaCO_3$ 247
chemical bond
disilicic acid: MO 36
disiloxane: MO 36
silicates: MO 36
silicic acid: MO 36
***copalite** 146
cordierite $(Mg,Fe)_2Al_4Si_5O_{18}$ 14
crystal field effect
spinal structure type 69
crystal growth
mica group 268
quartz 121, 128
crystal structure
spinel 64

D

defects
feldspar group 77
garnet 87
Henry's law 87
kyanite 251
magnetite 112
mica group 268
plagioclase 87
pyroxene group 87
quartz 121, 153
staurolite 251
ulvöspinel 112
yoderite 251
diamond 105
disilicic acid $H_6Si_2O_7$ 36
disiloxane $H_3SiOSiH_3$ 36
dislocation cf. defects
dolomite $CaMg(CO_3)_2$ 29
domain structure
dolomite 29

E

electric conductivity
calcite 247
electron microscopy
allegnanite 167
amethyst 128
dolomite 29
heyrovskyite 188
humite group 55, 167
kyanite 251
leucophoenicite 167
lillianite 188
sonolite 167
staurolite 251
troilite 175
yoderite 251
electron paramagnetic resonance (EPR)
beryl: Fe^{3+} 161
feldspar group 77
microcline 149
quartz 153
tremolite: Mn^{2+}, Fe^{3+} 200
electron spectroscopy for chemical analysis (ESCA) cf. X-ray spectra
electron spin resonance (ESR)
cf. electron paramagnetic resonance (EPR)
epidote group
epidote $Ca_2(Al,Fe)_3Si_3O_{12}OH$ 158
piemontite $Ca_2(Al,Mn,Fe)_3Si_3O_{12}OH$ 136
etching
epidote 158
platinum 197

F

faults cf. defects
feldspar group
albite 47
defects 77
electron paramagnetic resonance 77
microcline $KAlSi_3O_8$ 149
radiation effects 77
ferrobielastic property
quartz 20
fission track
epidote 158
***fluoro-clinohumite** $(Mg,Fe)_9Si_4O_{16}F_2$ 55
***fluoro-humite** $(Mg,Fe)_7Si_3O_{12}F_2$ 55
fossil resins
amber 146
burmite 146
copalite 146
rumanite 146
simetite 146
succinite 146

G

gallium albite $NaGaSi_3O_8$ 51
garnet group
defects 87
garnet 87
grandite $Ca_3(Al,Fe)_2Si_3O_{12}$ 25
Henry's law 87
goethite FeOOH 180, 257
***gold, native** 193
Grüneisen parameter 212

H

heyrovskyite $Pb_6Bi_2S_9$ 188
hematite Fe_2O_3 257
Henry's law
garnet 87
plagioclase 87
pyroxene group 87
high pressure
calcite 247
humite group
alleghanyite $Mn_5Si_2O_8(OH)_2$ 167
chondrodite $(Mg,Fe)_5Si_2O_8(F,OH)_2$ 55
clinohumite $(Mg,Fe)_9Si_4O_{16}(F,OH)_2$ 55
fluoro-clinohumite 55
fluoro-humite 55
humite $(Mg,Fe)_7Si_3O_{12}(F,OH)_2$ 55
leucophoenicite $Mn_7Si_3O_{12}(OH)_2$ 167
sonolite $Mn_9Si_4O_{16}(OH,F)_2$ 167

I

infrared (IR) **reflection**
spinel 64
iridescence
grandite 25

J

jasper 20

K

kanonaite $(Mn,Al)_2SiO_5$ 136
kaolinite-serpentine group
greenalite $Fe_{2-3}Si_2O_5(OH)_4$ 218
kyanite Al_2SiO_5 251

L

lattice dynamics
spinel 64
lillianite $Pb_3Bi_2S_6$ 188

M

magnetic ordering
Al–Co–Fe spinel 206
biotite 218
glauconite 218
goethite, aluminous 180

greenalite 218
hematite, aluminous 257
mica group 218
montmorillonite group 218
muscovite 218
nontronite 218
vermiculite group 218
magnetic properties
Al–Co–Fe spinel 206
biotite 218
glauconite 218
goethite, aluminous 180
greenalite 218
hematite, aluminous 257
mica group 218
montmorillonite group 218
muscovite 218
nontronite 218
vermiculite group 218
magnetic susceptibility
cf. magnetic properties
magnetization cf. magnetic properties
mechanical twinning cf. twinning
mica group
biotite $K(Al,Mg,Fe)_4Si_3O_{10}(OH,F)_2$ 218
crystal growth 268
defects 268
glauconite $(K,Na)(Al,Fe,Mg)_2Si_4O_{10}(OH)_2$ 218
magnetic properties 218
muscovite $KAl_2Si_3O_{10}(OH)_2$ 218
polylithionite $KLi_2AlSi_4O_{10}(F,OH)_2$ 98, 99
polytype structures 268
siderophyllite $KFe_2Al_3Si_2O_{10}(F,OH)_2$ 98, 99
Mössbauer spectra cf. nuclear gamma ray resonance (NGR)
molecular orbital (MO) **theory**
disilicic acid 36
disiloxane 36
silicic acid 36
silicates 36
montmorillonite group
nontronite $Na_{0.33}Fe_2(Si,Al)_4O_{10}\cdot nH_2O$ 218
morphology
diamond 105
gold, native 193
platinum 197
quartz 121
silver, native 193

N

***novaculite,** a variety of opal $SiO_2\cdot nH_2O$ 20
nuclear gamma ray resonance (NGR)
Al–Co–Fe spinel 206
biotite 218
glauconite 218
goethite, aluminous 180
greenalite 218
hematite, aluminous 257
mica group 218
montmorillonite group 218
muscovite 218
nontronite 218
polylithionite 98, 99
siderophyllite 98, 99
vermiculite group 218
wolframite 83
nuclear magnetic resonance (NMR)
cordierite: proton 14

O

optical absorption
andalusite 136
beryl 161
kanonaite 136
piemontite 136
yoderite 143
optical interference cf. optical properties
optical properties 25
quartz 128
order-disorder
albite 47
Al–Co–Fe spinel 206
dolomite 29
gallium albite 51
spinel structure type 69

P

paramagnetic centers cf. defects
phase transition
calcite 247
gallium albite 51
hematite, aluminous 257
pyrrhotite 8, 241
sphalerite-wurtzite 2
troilite 175
plagioclase $Ca_{1-x}Na_xAl_{2-x}Si_{2+x}O_8 (0 \leq x \leq 1)$
albite 47
defects 87
gallium albite 51
Henry's law 87
platinum 197
polytype
sphalerite-wurtzite 2
pyroxene group
defects 87
Henry's law 87
pyrrhotite $Fe_{1-x}S$ 8, 241

Q

quartz SiO_2 20, 121, 128, 153

R

radiation effects
feldspar group 77
Raman spectra
spinel 64
***rumanite** 146

S

silicic acid $Si(OH)_4$ 36
silver, native 193
***simetite** 146
site preference cf. order-disorder
smectite cf. montmorillonite group 218
smythite Fe_9S_{11} 241
solid solution
spinel 64
sphalerite (Zn,Fe)S 2
spinel group
magnetite Fe_3O_4 112
spinel Mg,Al_2O_4 64, 251
ulvöspinel $TiFe_2O_4$ 112
spinel structure type
Al–Co–Fe spinel 206
crystal field effect 69
Mg–Al spinel solid solution 64
order-disorder 69
spiral growth cf. crystal growth
staurolite $Fe_2Al_9Si_4O_{22}(OH)_2$ 251
***succinite** 146
superparamagnetism
cf. magnetic properties
super structure
humite group 55
surface analysis cf. morphology
surface morphology cf. morphology
susceptibility cf. magnetic properties 218

T

thermal expansion 212
thermoluminescence (TL)
quartz 153
***titanomagnetite** cf. magnetite
transition electron microscopy (TEM)
cf. electron microscopy
troilite FeS 175, 200

V

vermiculite group 218
viridine $(Al,Mn)_2SiO_5$ 136

W

wolframite $(Fe,Mn)WO_4$ 83
wurtzite (Zn,Fe)S 2, 241

X

X-ray photo electron spectra (XPS)
cf. X-ray spectra
X-ray spectra
gold, native 193
platinum 197
silver, native 193
X-ray topography
amethyst 128
diamond 105
quartz 121

Y

yoderite $(Mg,Al)_8Si_4(O,OH)_{20}$ 143, 251